



## High lumen intergrated led flood light BVP161 quality assured

### Our Product Introduction

for more products please visit us on [solarpanelstreetlight.com](http://solarpanelstreetlight.com)

#### Basic Information

- Place of Origin: Jiangsu, China (Mainland)
- Brand Name: HGG
- Certification: BV, C-tick, CCC, CE, CQC, EMC, Energy Star, ETL, FCC, FDA, GOST, GS, LVD, PSE, REACH, RoHS, SAA, SASO, UL, VDE
- Model Number: LFL013-100W (good quality)
- Minimum Order Quantity: 1 Piece/Pieces
- Price: Negotiation
- Packaging Details: 1pcs
- Supply Ability: 5000



#### Product Specification

- Light Source: LED
- Item Type: Flood Lights, Flood Lights
- LED Light Source: All Brands Are Available
- Input Voltage(V): AC85-265V
- Lamp Luminous Flux(lm): 8000
- Lamp Luminous Efficiency(lm/w): 80
- CRI (Ra>): 75
- Color Temperature(CCT): Cool White
- Beam Angle(°): 120 Degree
- Working Temperature( ): -40 - 70
- Working Lifetime(Hour): 50000
- Lamp Body Material: Aluminum Alloy
- IP Rating: IP65
- HS Code: 940540900



#### More Images



## Product Description

### High lumen intergrated led flood light BVP161 quality assured

HGG-LFL013 LED flood light  
IP65 ,Power: 30W 50W 100W 150W  
Warranty 2years/3 years/ 5 years

Brand Name:	HGG
Model Number:	LFL013
Certification:	CCC CE EMC LVD RoHS

#### Feature:

##### Materials and features:

- ① High-pressure die-casting aluminum case ,external.electro-static powder spraying
- ②Heat-proof silicon gasket
- ③Tempered safety glass
- ④Adopt professional raster lens,light utilization efficiency reach 80%
- ⑤Backside gearbox ,helpful for Heat release of eletric comporent Application
- ⑥Illumination of the facade of building,billboards,parking places,grass lands and sculptures

**Description:**best quality IP65 30W 50W 100W 150W outdoor LED flood light

**Applications:**Freeway, highway, city cross road, urban street and boulevard, sidewalk, public areas such as school, residential, industrial park etc .

**Different product names:**LED flood light,outdoor flood light, ,Cast light,road light, garden light

#### Specifications:

Power	Luminous Flux(LM)	Color Temperature(K)	Input Voltage	Power factor	CRI	Size(mm)	N.W.(KG)
LFL013-30W	3000	3000-6500	85-265V	>0.95	Ra>75	210*170*60	1.2
LFL013-50W	5000	3000-6500	85-265V	>0.95	Ra>75	240*210*60	1.7
LFL013-100W	10000	3000-6500	85-265V	>0.95	Ra>75	285*255*80	3.23
LFL013-150W	15000	3000-6500	85-265V	>0.95	Ra>75	345*310*85	4.7

#### Competitive Advantage:

1. Goldern supplier in Alibaba
2. We are factory, can ensure inventory&delivery time
3. Fast delivery around the Globe.
4. High quality with Global Standards
5. 3 years factory warranty
6. Safe shipping way and payment
7. Convenient & Friendly Customer Service

#### Tag:

Quality products  
Source factory  
Goldern supplier in Alibaba

#### Product business terms:

- 1.Minimum Order Quantity: 1 Pcs
- 2.Packaging Details:Netural packing/Customers packing are acceptable
- 3.Delivery Time:7 days to 15 days after receiving the deposit per order
- 4.Payment Terms: L/C D/P T/T Westm Union MoneyGram
- 5.Supply Ability:50000/Month

#### Product Description

100watt high temperature resistant die cast aluminum led flood light waterproof housing



We manufacture all kinds of led street light/led flood light/led high bay light , led driver, as well as all kinds of traditional street light/floodlight and accessories like ballast, ignitor, capacitor , bulb and photocell etc.

<b>Categories</b> LED street lights	<b>led flood lights, Lamp Poles,flood lights,Garden Lights, LED bulb lights,Holiday lighting, lights&amp; Lightings, LED lighting, LED outdoor lighting</b>
<b>Outdoor lighting</b>	<b>flood lights, solar lights, Garden lights, Outdoor Wall lights,Pillar Lights</b>
<b>Product Features</b>	<b>Aluminum Alloy, Aluminum.Plastic, ABS,Stainless Steel, Glass,PVC,Iron,Bronze,Copper</b>
<b>IP Rating</b>	<b>IP65,IP68,IP67,IP66,IP44,IP33,IP54,IP55</b>
<b>Light Source</b>	<b>LED, Halogen Bulbs,HID,Incandescent Bulbs,Ultraviolet Lamp,Induction Lamps,Fluorescent</b>
<b>Color Temperature</b>	<b>Warm White,Cool White, Pure White</b>
<b>Usage/Application</b>	<b>Road way, High speed way, Garden, path,any where for outdoor using</b>
<b>About US/Supplier Types</b>	<p><b>1.Trade Assurance</b>,With trade Assurance, you will enjoy:  .100% product quality protection  .100% on-time shipment protection  .100%payment protection for your covered amount</p> <p><b>2.Gold Supplier</b>  <b>3. Assessed Supplier</b>  4. Onsite Checked  5. A&amp;VChecked  6.We accept <b>Transaction via Alibaba.com</b>  7.Payment protection  8. On-time shipment  9.Wholesale Low MOQ</p>

**Size and Material**

high pressure aluminum housing

**Color(Mix color we accept)**

**We accept Mix color in batch**, any color accept only your provide pantone No.to us or we have pantone No. for you selection

**MOQ (small Qty accept)**

**10-50-100-200-500-1000-5000-10000-20000** pcs depends on different watts, model and process.

**Price(Factory Lowest price)**

**MIN and SMALL quantity accept**

**Factory address: No.393 Zhongxing Road, Changzhou,Jiangsu, China .**

only within 1 day send out sample for you.

**Production time**

Other customized sample time:2-5days,

**Package details**

**Mass goods time: 7-15 days**

**We have general packing, white/brown, color box different ways package .**

**Led flood light Detail paremeters:**

Product name	LED FLOOD light, led road lamp, led outdoor lighting
Model number	LFL013
Watt	30w,50w,100w,150w,200w,300W,
Led chip	Sanan,Epistar,Bridgelux,Cree or other brands for your reference
LED driver	All brands available
Light efficiency	75-80lm/w, 90-100lm/w,110-130lm/w
Power factor	>0.95
CRI	70,75,80
Color temperature	Warm white, white, pure white
Warranty	3 years/ 5 years

Our light fixture made by our own die casting factory,We make most of the lights parts such as reflector, stand by ourself; Please feel free contact us anytime,it's our honor to service for you. We are together.



**Beijing Silk Road Enterprise Management Services Co.,LTD**



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District,Beijing,100025,P.R.C