



High Brightness Solar Powered Led Lights 8-10 Hours Charge Time Independent Battery Box

Our Product Introduction

for more products please visit us on solarpanelstreetlight.com

Basic Information

- Place of Origin: China
- Brand Name: CO-SHINE
- Certification: CE RoHS
- Model Number: Model: KK-780
- Minimum Order Quantity: 20
- Packaging Details: 1110*420*230 mm
- Delivery Time: 3-5 days
- Payment Terms: L/C, T/T, Western Union, MoneyGram



Product Specification

- LED Lamp: 80W
- Solar Panel: 60W
- Battery: Lithium Battery
- Material: Aluminium Alloy
- Charge Time(by Sun): 8-10hours (with Enough Strong Shine)
- Discharge Time: 10-12 Hours Per Night 5-7rainy Days
- Installation Height: 8-9 Meters
- Suggestion Distance: 25-30meters
- Highlight: solar powered road lights



More Images



Product Description

High Efficiency Solar Powered Street Lighting 80W With Solar Panel Battery All In One


Product features

advanced stoving varnish craft, strongly anti-corrosion
 new high technology electronic switch to decrease the failure that brought by traditional switch
 Angle adjustable range 15 to 45degree
 designed and studied by senior expert, making high conversion efficiency and more stable quality
 independent battery box design
 3030 lamp beads
 Multi-mode of lighting, controlled by a remote controller
 professional optical design, meet the road lighting standards

Specification

Solar street light		Model: King Kong -780	
Main Lamps material	Aluminium Alloy		
Solar panel	Max Power	18V/60W	
Battery	Type	Lithium battery 15V 25AH	
LED	Led chip brand		
	Lumen(LM)	8000 -8800LM equal to 80W	
	CCT (k)	6000-6500k	
	Life Time	50000 hours	
Lighting Viewing Angle	150°×70°		
Working TEMP()	-20°~+60°		
Working Mode	1. Time Control Mode , 2.Sensing Mode , 3.Time Control + Sensing Mode (Switched by smart remote control)		
Charge time(by sun):	8-10hours (with enough strong shine)		
Discharge time	10-12 hours per night 5-7 rainy days		
Certificate	CE/ROHS/IP65		
	2years		
Packing	Product size	1050*355*156 mm	
	Packing size	1110*420*230 mm	
	Net weight	13kg	
	Gross weight	15.5kg	
	Q'ty/ctn	1pcs/ctns	
Packs Containers	20ft container	28pcs	
	40gp container	560pcs	
Installation height	8-9 meters	Suggestion distance	25- 30 met ers

Details





Application:

Widely used in the road, street, and factory, park road, rural, mountainous area and the remote area lighting project, courtyard, schools, square and other need to place for outdoor lighting.



Quality Control

Professional salt spray test:

The whole housing has been tested for 72 hours of salt spray test. It can be protected against rust for three years.

Other tests:

100% of the light will be tested and keep lighting for 24 hours to test its quality reliability , and we will also test its temperature after 24 hours' lighting.

Then after it is cool we again test 100% of the light to see if it still work well . Each light should pass all these QC procedures before shipping to customer

Delivery detail:

We ship goods by UPS/DHL/FEDEX/TNT express which takes 3~ 5 days to arrive, or by air cargo which takes about one week to arrive .

or by sea which takes about one month to arrive , depending on your actual requirements.

Our services:

1. For all your inquiries about us or our products, we will reply you in detail within 24 hours;
2. We own well-trained and passionate sales & after-sale services who can speak fluent English language;
3. We offer OEM services. Can print your own logo on product , can customize the retail box packing and other things.
4. We have very experienced R&D engineers and we have strong ability to do ODM projects.



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C