

Linkable Led Tube Light 1200 Mm Dimension Thermal Sensitive Control

25pcs/carton, Carton size: 125*19*19cm

Western Union, L/C, T/T, MoneyGram

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:

Our Product Introduction

for more products please visit us on solarpanelstreetlight.com

- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Watt:	28W
• Base:	Т8
• Dimension:	1200mm
LED Chip:	Epistar SMD2835
• Lumen:	2800lm
 Material: 	Aluminum + PC
Beam Angle:	120degree
 Warranty: 	3 Years
 Highlight: 	led grow light tubes

CHINA CO-SHINE

CE RoHS

20

CS-LL-28W

negotiation

G.W.: 10KG

20,000PCS Per month

3-5 days



More Images



28w led tube light 600mm / 1200mm for Linkable Linear Lighting Systems

Applications

excellent 6063 extrusion aluminum,reliable LEDs and PC diffuser, it has high light efficiency and uniform light distribution. It provides up-and-down lighting and allows 2 ways of installation: wall mounted and suspendant. It can be widely used as wall lighting for decoration and also main lighting for office, shops, hospital, school and so on.

Features

- Latest LED technology
- Advanced Thermal sensitive lighting dimming control
- Equal to HPS/MHD Size
- One Size more WattagesEasy to install and connect
- Suitable for all the traditional light fixtures

Benefits

- Directly replacing HPS/MHD light source
- Polygonal, easy to install and replace
- Utilizing same lighting fixture , saving investment cost

Specification

Power	28W	Material	Aluminium+PC
LED Source	SMD2835	PC Cover	Frosted
Input Vol	85-265VAC 50-60HZ	ССТ	2800-6500K
Power Factor	≥0.90	CRI	>80Ra
Beam angle	120°	Lumen	2800Lm
Dimension	1200mm	Lamp Base	Т8



Product description

Energy saving, saving more than 80% energy compare to traditional lights. Cost savings, low consumption of power and the rate of conversion is over 95%. Long life, normally used for more than 50,000hrs Eco-friendly, no flicker, no harmful substances such as UV, infrared radiation, mercury elements. Breakage Resistance: solid LED light source and not easy to damage.



1. CE, RoHS, UL, DLC, PSE Certificated.

2. IP level: IP55.

3. led chip:SMD2835

4. luminous efficiency:100 lm / w

5. Material:Aluminium+PC

6. Lead time: 3-5 days for samples, 7-15 days for bulk quantity order after receipt of deposit.

7. 3 years guarantee, If there is any problem, We will repair or change for free.

8. Applications:Warehouse, workshop, factory, gas station, supermaket, hall ect.

FAQ

Q1. Can I have a sample order for led light?

A: Yes, we welcome sample order to test and check quality. Mixed samples are acceptable.

Q2. What about the lead time?

A:Sample needs 3-5 days, mass production time needs 1-2 weeks for order quantity more than

Q3. Do you have any MOQ limit for led light order?

A: Low MOQ, 1pc for sample checking is available

Q4. How do you ship the goods and how long does it take to arrive?

A: We usually ship by DHL, UPS, FedEx or TNT. It usually takes 3-5 days to arrive. Airline and sea shipping also optional. **Q5**. How to proceed an order for led light?

A: Firstly let us know your requirements or application.

Secondly We quote according to your requirements or our suggestions.

Thirdly customer confirms the samples and places deposit for formal order.

Fourthly We arrange the production.

Q6. Is it OK to print my logo on led light product?

A: Yes. Please inform us formally before our production and confirm the design firstly based on our sample.

Q7: Do you offer guarantee for the products?

A: Yes, we offer 3-5 years warranty to our products.

Q8: How to deal with the faulty?

A: Firstly, Our products are produced in strict quality control system and the defective rate will be less than 0.2%.

Secondly, during the guarantee period, we will send new lights with new order for small quantity. For defective batch products, we will repair them and resend them to you or we can discuss the solution i ncluding re-call according to real situation.

C 17733330123 C miclecleanmo@gmail.com C solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C