



IP65 UFO LED High Bay Lights Explosion Proof Industrial Lighting Osram Chip

Basic Information

. Place of Origin: China CO-SHINE . Brand Name: CE RoHS · Certification: CS-HBU-200W Model Number:

Minimum Order Quantity: 10

Packaging Details: 1pc/carton

. Delivery Time: 3-5 days for sample • Payment Terms: L/C, T/T, Western Union • Supply Ability: 2000pcs per month



Product Specification

Name: High Bay Led Shop Lights

100w 150w 200w

· Wattage: Osram Led • LED Chip: Meanwell · Driver: 130-140lm/w · Lumen:

• CRI: >80 60° 90° • Beam Angle: AC90-305V • Input: • Highlight: ufo high bay light

Product Description

IP65 LED Light 150W UFO LED High Bay Light Explosion Proof LED Industrial Lighting

Specification

| Power | 100w | 150w | 200w |
|-------------------|-------------------------------|---------|---------|
| Luminous Flux | 13000LM | 19500LM | 26000LM |
| Dimension | Ф253*53/Ф315*57/Ф335*59mm | | |
| Voltage | 90-265V 50/60Hz | | |
| Luminous Flux | 130LM/W | | |
| (Ra>) | 80 | | |
| Material | die-casting aluminum; plastic | | |
| Power factor | PF>0.98 | | |
| LED light source | 3030 | | |
| Warranty | 5 years | | |
| LED Driver | Mean Well Taiwan | | |
| LED Chip | Osram | | |
| Beam angle | 60/90/Degree | | |
| certificate | CE Rosh | | |
| Color temperature | 3000-6500k | | |

Features

Super Bright & High Performance - That Is A Staggering Led Efficiency Of 133lm/W! Also, This Ufo High Bay Has A 120 Degree Beam Angle, Which Can Be Reduced To 90 Degrees With The Optional Reflector.

Wide Application - Led High Bay Is Perfect For Factory, Warehouse, Workshop, Garage, Backyard, Supermarket, Exhibition Hall, Stadiums And More. Also, The Ip65 Approved Ufo High Bay Lights And Optional Accessories Can Be Used In Outdoor And Indoor. The Optional Mounting Bracket Allows You To Angle It To Any Angle.

Easy Installation & Upgrade - Preinstalled Hook And Hanging Loop Allow For A Easy And Fast Installation. Simply Hang The Ufo High Bay Via The Included Ring Attachment In The Desired Location.

High Quality - Die-Cast Aluminum Pure Metal Body Has An Impact-Resistant, Polycarbonate Lens, Which Protects The Leds From Water, Dust, And Debris.

Light source:

OSRAM/Philips 3030 /3535

Beam angle: 60 °/90°





Special aluminum reflector

Special designed alminum reflector, reflect the light back onto the ground more efficient, and anti-glare to protect our eyes.



The Heatsink

Intergral stamping 6063 pure aluminum housing, light weight. Powder painting againsts harsh environments, and will not change the color





Application

Factory, warehouse, workshop, garage, backyard, supermarket, exhibition hall, stadiums etc.

SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



© solarpanelstreetlight.com