



## High Energy Portable Studio LED Lighting With CE / ROHS / REACH

### Our Product Introduction

for more products please visit us on [solarpanelstreetlight.com](http://solarpanelstreetlight.com)

#### Basic Information

- Place of Origin: China
- Brand Name: LS
- Certification: CE, ROHS
- Model Number: C-608ASV
- Minimum Order Quantity: 20PCS
- Price: Negotiation
- Packaging Details: packed with hard case and box
- Delivery Time: 15-30 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000pcs per month



#### Product Specification

- Color Temperature: 3200-5600K (+ / - 300K )
- CRI: >92
- Working Voltage: DC 14.8V-16.8V
- Battery Type: Sony Kind NP - F Series
- Output Power: 60W
- Model: C-608ASV
- Dimension: 10.1 X 18.1 X 9.5 Cm, Slim Version
- Weight: 2.9 Kgs For Signle Light
- Highlight: tv studio light



#### More Images



## Product Description

### High Energy Portable Studio LED Lighting With CE / ROHS / REACH

LS LED Studio light C-608ASV Aluminum made 3200K-5600K soft light with high CRI

#### Product Description

C series LS LED Studio light C-608ASV is new generation light from Lishuai company. It is the ultra soft light with LEDs on the lateral of the lighthousing and the beam is reflected from the inside layer of the diffusion material. The beam is so soft people can look directly to the light with no harm to the eyes. It is made of Aluminum, sturdy and suitable for outside location work with the hard case it include.

The light is with the professional stand adapter to make the light with any angle. Usually, it works on the stand with stand adapter. The light technology make sure works silent and flicker free. It is powered by the universal 100-240V with the AC power adapter or the battery option of 14.8V-16.8V. The NP-F series battery can work with the light. Included with the light, it is Sony Kind NP-F960 batteries 2pcs. And together, battery charger and charger adapter are come with the light. Thanks to the bag, all accessories come in order to you.


#### Specifications

Model No.	C-608ASV
Illuminance	1433 Lux / 0.5m, 470 Lux / m
Beam angle	75 degree
Color temperature	3200k-5600K ( + / - 300K )
CRI	>92
Output power	60W real power drawing
Working Voltage	DC 14.8V - 16.8V
Dimension	10.1 x 18.1 x 9.5 cm
Weight	4.7 kgs
Accessories	AC Power adapter, Power cord, Sony kind NP-F960 battery, charger, charger adapter, Power cord, Bag

#### What is included

- 1 x Light head of C-608ASV
- 1 x Professional stand adapter
- 1 x Battery mount plate of Sony kind NP-F series
- 1 x AC power adapter
- 1 x POWER cord
- 2 x Battery of Sony kind NP-F960
- 1 x Battery charger
- 1 x Charger adapter
- 1 x Kit bag

#### Name of the parts



- 1 Front diffuser panel
- 2 Handle
- 3 DC input socket
- 4 Dimming knob for Brightness
- 5 CT dimming knob
- 6 LCD screen
- 7 Professional stand adapter
- 8 Fixing structure for AC power adapter

#### Light Highlights

Variable Color Temperature from 5600K to 3200K  
 Soft and High CRI similar to natural light  
 Ultra soft for photo and studio  
 LCD screen show the brightness and color temperature  
 The kit include the battery, charger, charger adapter easy for location work

**3200K lighting effect. The color temperature variable from 5600K to 3200K.**



#### Shipment

Via seashipment and airshipment,  
Seashiping port in Ningbo or Shanghai

#### Warranty

Light guaranteed for 12 months

**SOLAR LIGHT** Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C