



DMX Digital LED Studio Lights , LED Light Panels For Photography

Basic Information

Place of Origin: ChinaBrand Name: LS

Certification: CE, ROHS
Model Number: C-700RSV
Minimum Order Quantity: 50PCS
Price: Negotiation

• Packaging Details: Foam / inner box / outer carton, 1pc per inner

box, 2pcs per outer carton, carton size

73.5x31x63cm

Delivery Time: 15-30 working days
Payment Terms: T/T, Western Union
Supply Ability: 5000pcs per month



Product Specification

Color Temperature: From Tungsten To Daylight From 3200K To

5600K

CRI: Aound 92-95Working Voltage: DC7.4V-14.8V

Power: 60W Draw With AC Power Adapter Or

Battery

• Dimension: Round Of 52cm, 50cm Thickness

• Weight: 5.8 Lbs

• Highlight: movie studio lights



More Images



Product Description

DMX Digital LED Studio Lights , LED Light Panels For Photography

LS LED Studio Lights, 3200K-5600K Studio LED light panel with high CRI

Product Description

It is the round shape ultra soft LED light use the new Tech of using ultra bright LEDs on the edge of the light housing. The light beam bounced from the inside diffusion panel which is different to the traditional LED light bounced direcetly from the LED board. When this new tech on the LED light, people benefit a lot because the lighht is soft, no sharp unhappy beam.

The color temperature variable from 5600K to 3200K make it no need the extra color gel or diffusor. The complete light kit include

Specifications

Model No.	C-700RSV
Illuminance	1065 Lux/m, 1065 Lux/ 2m
	50,000 hrs
Color temperature	From Tungsten to Daylight 3200K-5600K (+ / - 300K)
CRI	around 92-95
Continuous working time	Approx 1.6 hrs by NP-F960 batteries
Output power	60W real power drawing by AC via AC power adapter or battery power
Working Voltage	DC 14.8V - 16.8V
Battery type	Rechargeable lithium battery of 6600mAH Sony type NP-F series
Dimension	520mm in diameter, 50mm thickness
Weight	2.85kgs
Accessories	2pcs batteries, Battery charger, charger adapter, AC power adapter, Carring case

What is included

- 1 x light head
- 1 x yoke
- 2 x NP-F960 batteries
- 1 x battery charger
- 1 x charger adapter
- 1 x AC power adapter
- 1 x power cord
- 1 x Kit bag

Light Hilights

Aluminum material, good heat dissipation LED lighting source, long lifetime Extremely soft, with high CRI and similar to the Natural light Completely light kit packed with a bag, convenient for location work Quiet and flicker free, to be a fried of you





SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD

17733330123

miclecleanmo@gmail.com

solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C