



Still Life Continuous Studio Lighting Daylight LED Studio Panel

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: LS
- Certification: CE, ROHS
- Model Number: C-518AV
- Minimum Order Quantity: 50PCS
- Price: Negotiation
- Packaging Details: Foam / inner box / outer carton, 1pc per inner box , 4pcs per outer carton , carton size 62 x 59 x 50 cm
- Delivery Time: 15-30 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000pcs per month




Product Specification

- Color Temperature: 5600K (+ / - 300K)
- CRI: >92
- Working Voltage: DC 14.8V - 16.8V Or AC Power Adapter
- Power Draw: 40W Via F760 Battery, 130WH Battery Or AC Power Adapter
- Illuminance: 2000 Lux / 0.5m, 623 Lux / M
- Beam Angle: 75 Degree
- Dimension: 36.5 X 40 X 5 Cm (14"x16"x2")
- Weight: 2.08 Kgs (0.8 Lbs)
- Highlight: tv studio light



More Images



Product Description

Still Life Continuous Studio Lighting Daylight LED Studio Panel

Professional studio photography Continuous premium Daylight panel with battery and bag

Product Description

The professional studio LED light of can be choice with other the Daylight verison or Bi-color version. It is extremely soft as the main advantage by using the new Tech of using the LED bulbs on the edge of the light housing, the light beam bounced from the internal diffusion panel. It make different to the traditional LED light. People now can look directly to the light. With it, the equip go close to people since now on. A photography tool now maybe later come to subject of the shooting as well.

C-518AV is 1x1 lighted portable light packed with the bag and with other accessories like battery, charger, charger adapter , AC power adapter. It is quickly for setting up the kit and save you time much.

Specifications

Model No.	C-518AV
Illuminance	2000Lux/0.5m, 623Lux/m, 206Lux.2m
Beam angle	75 degree
Color temperature	5600K (+ / -300K)
CRI	>92
Output power	40W real power drawing, via AC or DC
Working Voltage	DC 14.8V - 16.8V
Battery type	Rechargeable lithium battery of 4400mAH Sony type NP-F series
Battery lifetime	Charge and discharge for approx 500 times
Dimension	36 x 40 x 5 cm
Weight	2.08kgs (0.8 lbs)
Accessories	2pcs batteries F750, Battery charger, charger adapter, AC power adapter, Carring case

Advantage of the light

1x1 slim design, compact, light-weighted and portable.
 Ultra soft with new tech of LED edge lighting
 Dimmable from 100% to 10% no flicker.
 Daylight color temperature and high CRI
 LCD screen display the color temperature and percentage of the brightness.
 Suitable for Studio and location photography and videography, portrait and interview.

What is included

1x light head C-518AV
 1x yoke
 1x battery mount plate of SONY V type
 2x batteries of Sony type NP-F series, 4400mAH
 1x dual battery charger
 1x charger adapter
 1x AC power adapter
 1x power cord
 1x manual
 1x carring case



Packing detail

Foam / inner box / outer carton, 1pc per inner box
4pcs per outer carton, carton size 62 x 59 x 50 cm

Shipment

Seashipment or Airshipment, Shipping port in Ningbo or Shanghai

SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C