



Professional LED Studio Lights Super Brightness from 3200K to 5600K

Our Product Introduction

for more products please visit us on solarpanelstreetlight.com

Basic Information

- Place of Origin: China
- Brand Name: LS
- Certification: CE, ROHS
- Model Number: C-800ASV
- Minimum Order Quantity: 20PCS
- Price: Negotiation
- Packaging Details: packed with hard case and box
- Delivery Time: 15-30 working days
- Payment Terms: T/T, Western Union
- Supply Ability: 5000pcs per month



Product Specification

- Color Temperature: 3200K-5600K (+ / - 300K) Variable Bi-color Version
- CRI: About 92-95
- Battery Include: No, But With V-Lock Battery Palte
- Output Power: 80W Via AC Power Adapter Or Battery Powered
- Dimension: 10.1 X 18.1 X 9.5 Cm (3.98" X 7.1" X 3.74")
- Weight: 4.7 Kgs (10.3Lbs)
- Highlight: **tv studio light**



More Images



Product Description

Professional LED Studio Lights Super Brightness from 3200K to 5600K

Aluminum made DMX function professional LED Studio light from 3200K to 5600K variable

Product Description

C series LS LED Studio light C-800ASV is a new generation light from Lishuai company. It is the ultra soft light with LEDs on the lateral of the lighthousing and the beam is reflected from the inside layer of the diffusion material. The beam is so soft people can look directly to the light with no harm to the eyes.

C-800ASV is the Bi-color version variable from 5600K to 3200K and illuminance change from 100% to 10%. The light is AC powered with external AC power adapter or DC powered with the included SONY type battery (it is not included in the light) via the V mount on the light.

There is a big LCD Screen on the back of the light for checking the DMX address, color temperature and brightness percentage.

The aluminum light is with size 10.1 x 18.1 x 9.5 cm (3.98" x 7.1" x 3.74") ,weight 4.7 kgs (10.3 Lbs) , packed with a hard case. Portable for location work with the battery power choice.

Specifications

Model No.	C-800ASV
Illuminance	2874 Lux / 0.5m, 1029 Lux / m, extremely soft
Beam angle	75 degree
Color temperature	3200k-5600K(+ / - 300K)
CRI	around 92-95
Output power	80W real power drawing
Working Voltage	DC 15V
Dimension	10.1 x 18.1 x 9.5 cm (3.98" x 7.1" x 3.74")
Weight	4.7 kgs (910.3Lbs)
Accessories	AC Power adapter, Power cord, hard Casing

What is included

- 1 x Light head
- 1 x Angle adjustable stand adapter
- 1 x V-lock battery plate
- 1 x AC power adapter
- 1 x Carry case

Light Highlights

- Aluminum soft LED Studio light with high CRI around 92-95
- Variable Color Temperature from 5600K to 3200K
- DMX function available with DMX address show on the rear LCD screen
- The AC power adapter fixed on the light
- Angle adjustable stand adapter make the light work horizontally or vertically
- Battery to power the light via V-lock battery plate
- The big LCD screen show the Color temperature, brightness and DMX address.



Shipment

Via seashipment and airshipment,
Seashiping port in Ningbo or Shanghai

Warranty

Light guaranteed for 12 months

SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD

☎ 17733330123

✉ miclecleanmo@gmail.com

🌐 solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C