

Dimmable Photo Studio Lights / Photography Studio Light With Ultra Bright LEDs

Basic Information

- Place of Origin:
- Brand Name: LS
- Certification: CE, RoHS
- Model Number:
- Minimum Order Quantity:
- Price:
 - Packaging Details:
 - Delivery Time:
 - Payment Terms: T/T
 - Supply Ability: 500pcs per month

Product Specification

- Product Name:
- Model No.:
- Material:
- Size:
- Weight:
- Color Termperature:
- Use For:
- Beam Angle:
- Highlight:

Dimmable Photo Studio Lights

P-1380ASVL

Alluminum Alloy

China

10

P-1380ASVL

Negotiation

7 work days

2pcs per cartons

- 63.7×33.5×7.2cm
- 4.8kg
- : 3200 5900K
 - Broadcast Studio And Film Shooting
- 120° Wide Beam
 - movie studio lights



Our Product Introduction

Product Description

Bi Color Dimmable Photo Studio Lights With Ultra Bright LEDs P-1380ASVL

Standard set Includied

- 1 piece of P-1380ASVL light
- 1 piece of adapter and power cord
- 1 set 4-leaves barndoor
- 1 piece of DMX cable

Optional accessories:

Honeycomb Grid Alluminum box for 2 pieces of lights Alluminum box for 3 pieces of lights Light stand Carrying bag for two pcs of lights

Product Show



Product Characteristics

• Dimming 10-100%, flicker-free.

- Color temperature can be adjustable from 3200K all the way to 5900K. It produces soft, bright light ray with standard color temperature daylight or tungsten.

- High CRI above 95.
- It is heat free and remains consistent even as the battery voltage does down..
- It is suitable for broadcast studio and film shooting.
- Runs on AC adapter or battery.

Product Specifications

| Model | P-1380ASVL |
|--------------------|-----------------------|
| LED Type | SMD |
| LED quantity | 1200 PCS |
| Power | 100W |
| Color termperature | 3200~5900K |
| Illuminance | 2458Lux/m , 670Lux/2m |
| Weight | 4.8KG |
| Beam Angle | 120° wide beam |
| Material | Alluminum |

| Distance | Illuminance | |
|----------|-------------|---------|
| | 3200K | 5600K |
| 1M | 2458Lux | 2458Lux |
| 2M | 680Lux | 750Lux |

Cautions:

1. It is no need to replace the LED bulbs in normal use. Please do not disassemble the light or solder the LED bulbs by the non-professionals.

- 2. Please do take off the batteries when in storage.
- 3. Please do not block the louvers, or it may seriously influence LEDs' effect and lifetime.
- 4. The charger adapter is used for battery charging only. Please do not use on the light directly.
- 5. Please do discharge and recharge the battery at least once for every month if it is not in use.
- 6. It is not allowed to drop or impact the light to avoid fire.
- 7. It is not allowed to short circuit the battery,or it may seriously damage the battery or cause a fire.
- 8. It is not allowed to throw the battery into fire.

Warranty:

The LED light is guaranteed for 1Year.

R&D

Lishuai adhered to the principle of "taking honesty as foundation, self-surpassing and creative". So they always focus on the new tech, new product. Accuraty, if you refere to the company's histry, they have achieved many awards in this industry about the New tech, new products and new ernergy-saving. Besides, they sometimes introduce new tech idea from the cooperated company in USA. They exchange ideas and improvements which lead to new products come out every year. They hope and welcome more and more customers will come to discuss and exchange the idea to work out more new things to promote the Industry Profess.

