



## Dimmable Ultra bright 200W VictorSoft 1x2 LED Studio Lighting 3200K - 5600K

### Our Product Introduction

for more products please visit us on [solarpanelstreetlight.com](http://solarpanelstreetlight.com)

#### Basic Information

- Place of Origin: China
- Brand Name: LS
- Certification: CE, RoHS
- Model Number: V-4000ASVL
- Minimum Order Quantity: 20
- Price: Negotiation
- Packaging Details: 2 pcs per cartons
- Delivery Time: 10-45 work days
- Payment Terms: T/T
- Supply Ability: 500pcs per month



#### Product Specification

- Product Name: VictorSoft 1x2
- Model No.: V-4000ASVL
- Material: Alluminum Alloy
- Size: 70x55x9cm
- Weight: 9.09kg (20lb)
- CRI:  $\geq 96$
- Voltage: AC100-240V, DC24-30V
- Beam Angle: 120°
- Highlight: photography studio light



#### More Images



## Product Description

### VictorSoft 1x2 LED Studio light, Bi-color Dimmable Ultra bright 200W

#### Product Specifications

|                            |   |
|----------------------------|---|
| LED Light Source           | LEDs                                      |
| Color temperature          | 3200±150K~5600K±300K                      |
| Brightness/Light Intensity | 4696Lux/m, 1425Lux/2m                     |
| Power draw                 | 200W                                      |
| Beam angle                 | 120°wide                                  |
| CRI                        | ≥96                                       |
| Lamp Lifetime              | 50,000 hrs                                |
| Working Voltage            | AC100-240V, DC24-30V                      |
| External Power             | Sony V-mount battery plate 2pcs           |
| Mount                      | Yoke with standard pin receiver baby 5/8" |
| Dimension                  | 70x55x9cm                                 |
| Weight                     | 9.09kg (20lb)                             |

#### Standard set Included

- 1 x Victor 1x2 (V-4000ASVL)
- 1 x Barndoor
- 1 x Yoke
- 1 x AC power adapter
- 1 x Power Cord
- 1 x DMX cable
- 1 x Safety cable

#### Optional accessories:

- Honeycomb Grid
- Bag for one light

#### Main Features

VictorSoft (strong and soft) that no additional diffuser need.  
 Power draw 100W via AC power adapter or V-lock broadcasting battery  
 Removable, clip-in 4-way barndoor, provided with the light.  
 Bi-color 3200K to 5600K, from Tungsten to Daylight variable.  
 High CRI of 96 and above.  
 120° wide beam, flicker free.  
 Rear LCD display of the brightness and color temperature.  
 Metal construction and traditional 1x1 size  
 Easy to operate when out of the box, used for both studio or location work as a photo light.  
 VictorSoft series has big progress in lighting source and it performs as well as C series LED edge light in color rendering property, but much better in illuminance and light-emitting area. The light-emitting area of VictorSoft 2x2 is 76x85cm and the illuminance reaches 8850Lux/m. It has the biggest lighting-emitting area among all the square size lights Lishuai has.

VictorSoft 2x2 is a powerful soft light. It draws 300W and gives a rather beautiful and strong but soft light beam with no hotspots and multiple showdowns that a traditional LED light may have.

The light has a built-in diffuser that people do not need to use additional white diffusers. It becomes so easy to operate when out of the box. Put it on a light stand, clip in the barndoor to the light and then power the light with the provided AC power adapter and power cord. Or use it in the Studio with the DMX function of the light. The AC adapter now can be attached to the light that no worry the adapter will dropped down or the cable become messy.

#### Cautions:

1. It is no need to replace the LED bulbs in normal use. Please do not disassemble the light or solder the LED bulbs by the non-professionals.
2. Please do take off the batteries when in storage.
3. Please do not block the louvers, or it may seriously influence LEDs' effect and lifetime.
4. The charger adapter is used for battery charging only. Please do not use on the light directly.
5. Please do discharge and recharge the battery at least once for every month if it is not in use.
6. It is not allowed to drop or impact the light to avoid fire.
7. It is not allowed to short circuit the battery, or it may seriously damage the battery or cause a fire.

8. It is not allowed to throw the battery into fire.

**Warranty:**

The LED light is guaranteed for 12 months.

**SOLAR  LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD**



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C