



# VictorSoft 24 Big Round LED Studio Lights Aluminum Housing Bi-color 200W

### **Basic Information**

Place of Origin: ChinaBrand Name: LS

Certification: CE, RoHSModel Number: VR-4500ASVL

• Minimum Order Quantity: 20

Price: Negotiation
Packaging Details: 1 pcs per cartons
Delivery Time: 10-45 work days

• Payment Terms: T/T

• Supply Ability: 500pcs per month



## **Product Specification**

Product Name: VictorSoft 24
Model No.: VR-4500ASVL
Material: Alluminum Alloy
Size: 76x79x9.5cm
Weight: 10.9kg (24lb)

• CRI: ≥96

• Voltage: AC 100-240V, C24V-30V

• Beam Angle: 120°

• Highlight: photography studio light



## More Images





### **Product Description**

#### VictorSoft 24 Big Round LED Studio light Aluminum housing Bi-color 200W

#### **Product Specifications**

LED Light Source	LEDs
Color temperature	3200±150K~5600K±300K
Brightness/Light Intensity	5639Lux/m, 1571Lux/2m
Power draw	200W
Beam angle	120°wide
CRI	≥96
Lamp Lifetime	50,000 hrs
Working Voltage	AC100-240V, DC24-30V
External Power	Sony V-mount battery plate 2pcs
Mount	Adjustable stand mount with combo pin receiver baby 5/8"and junior 1 1/8"
Dimension	76x79x9.5cm
Weight	10.9kg (24lb)

#### Standard set Includied

- 1 x VictorSoft 24 (VR-4500ASVL)
- 1 x Yoke
- 1 x AC power adapter
- 1 x Power Cord
- 1 x DMX cable
- 1 x Safety cable

#### **Optional accessories:**

Honeycomb Grid Creative mask Bag for one light

#### **Main Features**

VictorSoft (strong and soft) that no addtional diffusor need.

Power draw 100W via AC power adatper or V-lock broadcating battery

Removabe, clip-in 4-way barndoor, provided with the light.

Bi-color 3200K to 5600K, from Tungsten to Daylight variable.

High CRI of 96 and above.

120° wide beam, flicker free.

Rear LCD display of the brightness and color temperature.

Metal construction and traditional 1x1 size

Easy to operate when out of the box, used for both studio or location work as a photo light.

VictorSoft 24 VR-4500ASVL has the special round design of the light which provide a different choice among all the tradtional squre and rectangular size. As well, it gives out beam with no multiple shadow and hotspots, which is different to those dot LED lights. It is the chip LEDs that the light use. It has a wider beam angle 120 degree than the 30-60 degree of traditional dot LED lights have. The light-emitting area of VictoSoft 24 is 76x85cm and the illuminance reaches 5639Lux/m.

The light is designed to use the honeycomb grid when necessary. And the optional creative mask give the possibility to get the beautiful eyelight or reflective effect. The light has a built-in diffusor that people do not need to use additional white diffusors. It becomes so easy to operate when out of the box. Put it on a light stand, clip in the barndoor and then power the light with the provided AC power adatper and power cord.





#### **Cautions:**

- 1. It is no need to replace the LED bulbs in normal use. Please do not disassemble the light or solder the LED bulbs by the non-professionals.
- Please do take off the batteries when in storage.
   Please do not block the louvers, or it may seriously influence LEDs' effect and lifetime.
- 4. The charger adapter is used for battery charging only. Please do not use on the light directly.
- 5. Please do discharge and recharge the battery at least once for every month if it is not in use.
- 6. It is not allowed to drop or impact the light to avoid fire.
- 7. It is not allowed to short circuit the battery,or it may seriously damage the battery or cause a
- 8. It is not allowed to throw the battery into fire.

## Warranty:

The LED light is guaranteed for 12 months.

17733330123

miclecleanmo@gmail.com

.

solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District,Beijing,100025,P.R.C