



## Ultra Bright Led Studio Lights Soft With High Cri / Tlci 96 Mental Hull

### Our Product Introduction

#### Basic Information

- Place of Origin: China
- Brand Name: LS
- Certification: CE, RoHS
- Model Number: V-4000ASVL
- Minimum Order Quantity: 20
- Price: Negotiation
- Packaging Details: 2 pcs per carton
- Delivery Time: 10-45 work days
- Payment Terms: T/T
- Supply Ability: 500pcs per month



#### Product Specification

- Product Name: LED Film Light
- Material: Aluminum Alloy
- Packing QTY: 2 PCS Per Carton
- CTN Size: 80×33×73cm
- Voltage: AC100-240V, DC24V-30V
- Power: 200W
- Light Source: White LEDs
- Beam Angle: 120°
- Highlight: photography studio light



for more products please visit us on [solarpanelstreetlight.com](http://solarpanelstreetlight.com)

**Product Description****200W Ultra Bright and Soft LED Film Light with High CRI & TLCI 96 Mental Hull****Product Specifications**

LED	1920 pcs of ultra bright LEDS
Power draw	200W
CRI	≥96
TLCR	≥96
Working Voltage	AC100-240V, DC24V-30V
Dimension	70×55×9 cm
Weight	9.09 kg
Illuminance	4695Lux/m, 1425Lux/2m
Accessories included	Barndoor, Yoke, AC power adapter, Power Cord, DMX cable, Safety cable
Optional Accessories	Honeycomb Grid, Carrying Bag

**Standard set Included:**

- 1× V-4000ASVL Light
- 1× Barndoor
- 1× AC power adapter
- 1× Power Cord,
- 1× DMX cable
- 1× Safety cable

**Optional accessories:**

- Honeycomb Grid
- Carrying Bag

**Main Features**

V-4000ASVL is bi-color, dimmable LED film light, with DMX512 function.

It's Soft Light but very bright with power 200W.

The light beam angle 120° which can provide you a wide range of lighting.

It's have two ways of power supply, AC power by connet the power cord to the plug or you can use 2pcs of 240Whs batteries as it's with 2 V-lock plate.

The light is with LCD screen can show the brightness, color temperature and DMX adress.

It comes with DMX diming function, through which 512 different of lights can be controlled by DMX console or dimming controller.

Designed as all-aluminum frame for better heat dissipation, which assures long lifetime of the light.

It is PWM intergrated designed, dimmable from 10% to 100%, flicker-free.

LED heat-free technology assures the stable, consistent and accurate lighting output.

High CRI of 96 and above.



**DMX connector**

**Light Angle  
Adjustable**



**Safety Instruction:**

Indoor use only! Do not expose fixture to rain and/or moisture.

Do not plug fixture into a dimmer pack.

For proper operation, follow the installation guidelines described in the manual.

Do not operate this fixture in the power cord has become frayed, crimped and/or damaged. If the power cord is damaged, replace it immediately with a new one of similar power rating.

Please make sure there are NO FLAMMABLE MATERIALS close to the fixture while operating, to prevent any fire hazard.

**Warranty:**

The LED light is guaranteed for 12 months.

**SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD**



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C