



IP68 High Strength Custom Neon Light Up Signs Anti Shake Long Working Life

Our Product Introduction

for more products please visit us on solarpanelstreetlight.com

Basic Information

- Place of Origin: Shenzhen,China
- Brand Name: TL
- Certification: CE,ROSH,ETL
- Model Number: TL-S-PR12A
- Minimum Order Quantity: 1pcs
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 7-15 workdays
- Payment Terms: T/T
- Supply Ability: 1000pcs/week




Product Specification

- Model Number: TL-S-PR12A
- Size: Customized Size
- Power: 12V Power Supply ,lithium Ion Battery
- Material: Acrylic ,metal
- Light: Ce,ul Silicon Neon Rope
- Color: Pink And Red
- MOQ: 1pcs
- Working Life: 50000-80000Hours
- Warranty: 1 Year Of The Whole Sign ; 3years Of The Neon Rope
- Highlight: led rope light



More Images



Product Description

custom led neon sign 12V 24V dual color pink red with UL

Product features

customized size and shape ,mini and complex is acceptable .

Product can be made as acrylic ,metal ,PS,woode,ext...

CE,ETL,silicon neon rope ,Stable reliability and anti-UV.

Input voltage: 12VDC/24VDC.

Excellent lumen maintenance (3oz FPC).

power supply and lithium ion battery solution

more than 10colors to choose .

long working life

IP68.

low MOQ

CE,ETL,Rosh

Application data

working life	50000-80000H
Ambient temperature range	-25 ~ +50 °C
The temperature of module top	65 °C
Storage temperature range	-40 ~ +70 °C
Certification	CE/ETL/ RoHS

Technical data


Neon Rope/Ribbon	Nominal voltage	Color temperature or Wavelength	CRI	Typ. Flux/meter(3.28ft)	Typ. Power/meter(3.28ft)
TL-NW06A/B(2835)	12/24 VDC	2700-5500 K	>75	850~1100 lm	12 W
TL-NR06A/B(2835)	12/24 VDC	620-625 nm	Red	300~350 lm	12 W
TL-NG06A/B(2835)	12/24 VDC	520-528 nm	Green	210~230 lm	12 W
TL-NB06A/B(2835)	12/24 VDC	465-470 nm	Blue	1100~1010 lm	12 W
TL-NY06A/B(2835)	12/24 VDC	590-596 nm	Yellow	300~310 lm	12 W

Tolerance range for optical and electrical data: $\pm 15\%$.

All value @ $t_a=25$.

Voltage tolerance range of the power supply: $\pm 5\%$.

Production process



Packaging information



SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C