



3oz FPCLED Neon Lights Excellent Lumen Maintenance Low Powder Consumption

Our Product Introduction


Basic Information

- Place of Origin: Shenzhen, China
- Brand Name: TL
- Certification: CE, ROHS, ETL
- Model Number: TL-S-R12A
- Minimum Order Quantity: 1 pcs
- Price: Negotiable
- Packaging Details: Carton
- Delivery Time: 7-15 workdays
- Payment Terms: T/T
- Supply Ability: 1000 pcs/week



Product Specification

- Model Number: Acrylic Neon Sign
- Size: Custom
- Power: 12v Lithium Ion Battery, power Supply
- Material: Acrylic, metal
- Light: Ce, ul Silicon Neon Rope
- Color: Custom For Neon Sign
- MOQ: 1 pcs
- Working Life: 50000-80000 Hours
- Warranty: 1 Year Of The Whole Sign ; 3 years Of The Neon Rope
- Shape: Customized Shape
- Highlight: led rope light



More Images



for more products please visit us on solarpanelstreetlight.com

Product Description

Waterproof Custom Led Open Neon Sign Bar For Outdoor Indoor

Product features

customized size and shape ,mini and complex is acceptable .

Product can be made as acrylic ,metal ,PS,woode,ext...

CE,ETL,silicon neon rope ,Stable reliability and anti-UV.

Input voltage: 12VDC/24VDC.

Excellent lumen maintenance (3oz FPC).

power supply and lithium ion battery solution

more than 10colors to choose .

long working life

IP68.

low MOQ

CE,ETL,Rosh

Product information

Waterproof Custom Led Open Neon Sign Bar For Outdoor Indoor

Material	Acrylic
OEM	YES
Size and Shape	Customized design
Features	Waterproof , low consumption, suitable for long-term work and easy installation, good visual effect, etc
Emitting Color	White, red, blue, yellow, pink, green etc
Safe voltage	DC 12v (Do not connect to 220V AC power directly)
Design and Measurement	Accept customization,various painting colors,shapes,sizes available. You'd better give us the design drawing. Of course if not we can provide professional design service.
Application	Both indoors and outdoors. Decoration and advertisement.
Packaging	Wrapped with protective film and Packaged with vacuum bubble. Put into paper or wooden carton
Payment	L/C, T/T, Western Union, Paypal, Trade Assurance
Shipment	By express(DHL,FedEx,TNT,UPS etc.) 3-5days
	By air 5-7days
	By sea 25-35days
Lead time	6-7 days after payment received

Application data

working life	50000-80000H
Ambient temperature range	-25 ~ +50 °C
The temperature of module top	65 °C
Storage temperature range	-40 ~ +70 °C
Certification	CE/ETL/ RoHS

Production process

Packaging information



SOLAR  LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C