

100w 200W Exterior Solar LED Flood Lights / Solar Powered Pir Floodlight

Basic Information

- Place of Origin: CHINA
- Brand Name: JULANG
- Certification: CE/EMC/LVD
- Model Number: YYLZ107
- Minimum Order Quantity: 1pc
- Price: USD58-USD79
- Packaging Details: each in a bronze carton, 4pcs per carton, 1147pcs/20'GP container
- Delivery Time: 15-25 work days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 5000PCS PER WEEK



Product Specification

- Input Voltage(v): 6v,DC6~12V
- Ip Rating: IP65
- Item Type: Flood Lights,Explosion-proof Lights,Street Lights
- Application: Garden,Sports Stadiums,Square,outdoor
- Product Name: SMD 25w 35w 55w 75w 120W Solar Led Flood Light,Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light Price,waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light,SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light,100watt Out
- Warranty: 3 Years,2 Years,5 Years
- Power: 50w/100w/150w,1000w Led Flood Light,100w,20W 40W 60W 100W
- Material: Alumimnum+glass,Die-casting Aluminum,Die-cast Aluminum + Tempered Glass,High Quality Die-casting Aluminum Alloy



More Images



Product Description

100w 200W Exterior Solar LED Flood Lights With Solar Panel For Garden Lights

100w 200W Exterior Solar LED Flood Lights / Solar Powered Garden Lights / LED Pir Security Light

Product Main Data:

Solar panel	40W 480*670*30mm	Lighting space	2000m²
Lithium Battery	LiFePO4 3.2v 48AH	Back up rainy & cloudy days	7 days
Light source	SMD3030 200pcs 1w/pcs	Lux (5m height)	91 lux
Control mode	Remote control / Light control/ Timer control / Smart control	Material	Aluminum + Tempered glass
IP	65	Warranty	2 years
Beam angle	135°	Cable	5M

SPECIFICATIONS FOR LED SOLAR FLOODLIGHT:

ITEM NO.	POWER (W)	LED	INPUT VOLTAGE	LUMINOUS EFFICACY	LUMINOUS FLUX	CRI (Ra>)	COLOR TEMPERATURE	LIFESPAN
JL-FL-10W	10	CREE	AC100-277V	120.6LM	1166.2LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-20W	20	CREE	AC100-277V	117.9LM	2270.3LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-30W	30	CREE	AC100-277V	128.9LM	4056.0LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-50W	50	CREE	AC100-277V	134.9LM	6770.5LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-80W	80	CREE	AC100-277V	125.1LM	9913.8LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-100W	100	CREE	AC100-277V	128.3.1LM	12760.1LM	80	3000K/4000K 5000K/6000K	50,000hours
JLT-FL-150W	150	CREE	AC100-277V	126.9LM	18688.7LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-200W	200	CREE	AC100-277V	130.4LM	25655.5LM	80	3000K/4000K 5000K/6000K	50,000hours

Item Name: solar LED flood lights

LED Power : 200w

LED Chip Quantity: 200pcs SMD3030

Color Temperature: 3700K or 6000K

Total Lumen: 3800lm

Solar Panel : 9V / 40W

Panel Size: 480*670*30mm

Lithium Battery capacity: 3.2V / 48Ah

Battery type: LiFePO4

Working Cable length: 5meters

Lamp Working Mode : Intelligent mode / remote control

Battery Charging Time: 8 hours

Battery backup time per day: 12 hours/day

Battery backup period: more than 7 days

Intelligent sensor sensable distance: 5 meters

Lamp body material: aluminium alloy

Lighting area: 200m²

Beam Angle: 120°

Water proof standard: IP65

HS code:9405409000

Applications:

factories, Industrial area, commercial area, square, shop, supermarket, stadium, gym, swimming pool, plants growing area,road

Benefits:

easy installed lamp, saving energy lamps, save power lamp, high lumen lamp, no power cost lamp.

APPLICATIONS FOR THIS SOLAR FLOOD LIGHT IN GARDEN



SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C