



IP67 Outdoor Solar Powered Garden Flood Lights 60W 100W 200 Watt Available

Basic Information

Place of Origin: CHINABrand Name: SRSCertification: EMC

Model Number: YZYFL107W200

• Minimum Order Quantity: 2PCS

Price: USD100-USD350
Packaging Details: EACH IN A BOX
Delivery Time: 15-25DAYS

Payment Terms:
L/C, T/T, Western Union

Supply Ability: 3000PCS/DAY



Product Specification

• Item Type: Flood Lights, Explosion-proof Lights, Street

Lights

Application: Garden, Sports Stadiums, Square, etc., outdoor

Product Name: SMD 25w 35w 55w 75w 120W Solar Led

Flood Light,Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light Price,waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light,SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light,100watt Out

• Warranty: 3 Years,2 Years,5 Years

Power: 60w,100w,20W 40W 60W 100W

Lamp Luminous 130,120,160
Efficiency(lm/w):

.

Material: Die-cast Aluminum + Tempered Glass, High

Quality Die-casting Aluminum Alloy

Led Light Source: SMD,Bridgelux,SMD2835,5730,Epistar

Highlight: solar outdoor flood lights



More Images





Product Description

Ip65 Solar LED Flood Lights / Solar Security Light / Solar Powered Flood Lights

Quality Control

We have very strict Quality Control System, from checking and evaluation of incoming materials to the delivery of products, each item will be checked and tested for several times.

For every piece of Solar LED Flood Lights, they will be aged for at least 72 hours before delivery to make sure of their long term and stable performances within lifetime.

SPECIFICATIONS FOR SOLAR SECURITY FLOOD LIGHTS

OI LOII IOATIONOT	OILOOLAILO	JEOOI III I I	LOOD LIGHT	10		
Model Number	JL-YYL102	JL-YLY- 103	JL-YYL104	JL-YYL-105	JL-YYL106	JL-YYL107
Solar panel	6V 8W	6V 12W	6V 16W	6V 20W	6V 35W	10V 45W
	Polycrystalline Panel (GradeA)					
Storage Battery	3.2V	3.7V	3.7V	3.7V	3.7V	3.7V
	4500 mAh	5000 mAh	10000 mAh	20000 mAh	30000 mAh	39000MAH
	32650 Type LiFePO4 batteries					
light source	40 PCS	71PCS	100 PCS	156 PCS	256 PCS	400 PCS LED
	LED	LED	LED	LED	LED	
Light power	10W	25W	40W	60W	100W	200W
Charging time	4-6H					
Working time	12-15H					
Color Temperature	Cool-White: (6000-6500K) Warm-white: (3000K)					
Main Material	Die-casting aluminum+Toughened glass					
Working mode	Light induction & Intelligent remote control					
IP Grade	IP67					
CRI (Ra>)	85					
LampLuminous Efficiency(lm/W)	130 lm/ W					
Working Temperature	-15 ~60					
Certificate	CE& ROHS					
Lamp Size	16.5*4.5*13	20.5*5*16	12.8*16	15.8*20.5	26.2*32.6	37*9.5*30
Panel Size	17.5*26.5	17.5*34	33.9*28.9	34.9*34.9	36*58	36.5*58.5
Shell Color	Black or White					
Extension Cable	5m					
QTY/CTN	16PCS	10PCS	8 PCS	5 PCS	4 PCS	4 pcs
G. W/ CTN	17.4kgs	20KGS	27kgs	21kgs	26.5kgs	28kgs
Measure/ CTN	38*39.5*29	58*36.5*26	49*38*43.5	38*38*38	59.5*32*38	61*32.5*39

Item name: solar led flood lights outdoor

Rated voltage: DC12V Wattage: 200w

LED chip: CREE chip SMD3030 LED quantity: 200pcs Battery: LiFePO4 48AH Solar panel: 40w 480*670*30mm

Waterproof: IP65

Working hours: 12 hours per day

Back up: 7 days Lumen: 22000lm Lux (5 meter height): 91lux

RA: 0.8

Power indicator: with indicator

Lamp body material: alumimium + tempered cover

Cabel length: 5 meters Warranty: 2 years Packing: each in a box

Applications: yard, house, building, garden, village way, park, street, industrial area, gym, sport area, football playground

PRODUCT PICTURE:



INSIDE MATERIAL FOR THIS SOLAR LED FLOODLIGHT:



APPLICATION FOR PARK:



SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD

17733330123

miclecleanmo@gmail.com

solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District,Beijing,100025,P.R.C