

60 Watt Solar LED Flood Lights With Motion Sensor , Waterproof Solar Powered LED Lights

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1pc for sample
- Price:

Our Product Introduction

- Packaging Details:
- Delivery Time: 10-25 work days

CHINA JULANG

CE/EMC/LVD

YYL-JL60W

USD58-USD79 / negotiable

1147pcs/20'GP container

L/C, T/T, Western Union

5000PCS PER WEEK

each in a bronze carton, 4pcs per carton,

- Payment Terms:
- Supply Ability:



Product Specification

 Input Voltage(v): Ip Rating: Cri (ra>): Item Type: 	6v,DC6~12V IP65 80,85 Flood Lights,Explosion-proof Lights,Street Lights
 Application: Product Name:	Garden,Sports Stadiums,Square,etc.,outdoor SMD 25w 35w 55w 75w 120W Solar Led Flood Light,Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light Price,waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light,SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light,100watt Out
 Warranty: 	3 Years,2 Years
• Power:	50w/100w/150w,60w,1000w Led Flood Light,100w,20W 40W 60W 100W
• Highlight:	solar powered flood lights



More Images



for more products please visit us on solarpanelstreetlight.com

Application of LED Flood Light

- 1. Warehouse Lighting, Factory Lighting, Industrial Lighting
- 2. Garage Lighting, Workshop Lighting
- 3. Outdoor Area Lighting, High Mast Lighting
- 4. Parking Lot, Store Lighting
- 5. Tunnel Lighting, Bridge Lighting
- 6. Gas Station Lighting

Benefits:

easy installed lamp, saving energy lamps, save power lamp, high lumen lamp, no power cost lamp.

SPECIFICATIONS FOR LED SOLAR FLOOD LIGHT:

ITEM NO.	POWER (W)	LED	INPUT VOLTAGE	LUMINOUS EFFICACY	LUMINOUS FLUX	CRI (Ra>)	COLOR TEMPERATUR E	LIFESPAN
JL-FL-10W	10	CREE	AC100- 277V	120.6LM	1166.2LM	80		50,000hour s
JL-FL-20W	20	CREE	AC100- 277V	117.9LM	2270.3LM	80		50,000hour s
JL-FL-30W	30	CREE	AC100- 277V	128.9LM	4056.0LM	80		50,000hour s
JL-FL-60W	60	CREE	AC100- 277V	134.9LM	7770.5LM	80	3000K/4000K 5000K/6000K	50,000hour s
JL-FL-80W	80	CREE	AC100- 277V	125.1LM	9913.8LM	80		50,000hour s
JL-FL- 100W	100	CREE	AC100- 277V	128.3.1LM	12760.1LM	80		50,000hour s
JLT-FL- 150W	150	CREE	AC100- 277V	126.9LM	18688.7LM	80		50,000hour s
JL-FL- 200W	200	СКЕЕ	AC100- 277V	130.4LM	25655.5LM	80		50,000hour s

Item Name: Solar LED Flood Lights LED Power : 60w LED Chip: SMD3030 Color Temperature: 3700K or 6000K Total Lumen: 7700lm Solar Panel : 9V / 40W Lithium Battery capacity: 3.2V / 48Ah Battery type: LiFePO4 Working Cable length: 5meters Lamp Working Mode : Intelligent mode / remote control Battery Charging Time: 8 hours Battery backup time per day: 12 hours/day Battery backup period: more than 7 days Intelligent sensor sensable distance: 5 meters Lamp body material: aluminium alloy Lighting area: 200m² Beam Angle: 120° Water proof standard: IP65 HS code:9405409000

Applications:

factories, Industrial area, commercial area, square, shop, supermarket, stadium, gym, swimming pool, plants growing area, road

Product Pictures

