



## 100w Solar LED Flood Lights / Motion Sensor Solar Flood Light in Long Lifetime

### Our Product Introduction

#### Basic Information

- Place of Origin: CHINA
- Brand Name: JULANG
- Certification: CE/EMC/LVD
- Model Number: YYL-JL100W
- Minimum Order Quantity: 1pc for sample
- Price: US68-USD260 / negotiable
- Packaging Details: each in a bronze carton, 4pcs per carton, 1147pcs/20'GP container
- Delivery Time: 10-25 work days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 5000PCS PER WEEK



#### Product Specification

- Item Type: Flood Lights, Explosion-proof Lights, Street Lights
- Application: Garden, Sports Stadiums, Square, etc., outdoor
- Product Name: SMD 25w 35w 55w 75w 120W Solar Led Flood Light, Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light Price, waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light, SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light, 100watt Out
- Warranty: 3 Years, 2 Years
- Power: 50w/100w/150w, 60w, 1000w Led Flood Light, 100w, 20W 40W 60W 100W
- Led Light Source: SMD, Bridgelux, SMD2835, 5730, Epistar
- Cri (ra>): 80, 85
- Working Lifetime(hour): 50000
- Highlight: **solar powered flood lights**

## Product Description

### Outdoor 100w Solar LED Flood Lights With Motion Sensor For LED Solar Floodlight

#### Benefits For Solar LED Flood Light:

easy to instal the lamp, saving energy lamps, save power lamp, high lumen lamp, no power cost lamp.

#### Application of LED Flood Light

1. Warehouse Lighting, Factory Lighting, Industrial Lighting
2. Garage Lighting, Workshop Lighting
3. Outdoor Area Lighting, High Mast Lighting
4. Parking Lot, Store Lighting
5. Tunnel Lighting, Bridge Lighting
6. Gas Station Lighting

#### SPECIFICATIONS FOR LED SOLAR FLOOD LIGHT:

ITEM NO.	POWER (W)	LED	INPUT VOLTAGE	LUMINOUS EFFICACY	LUMINOUS FLUX	CRI (Ra>)	COLOR TEMPERATURE	LIFESPAN
JL-FL-10W	10	CREE	AC100-277V	120.6LM	1166.2LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-20W	20	CREE	AC100-277V	117.9LM	2270.3LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-30W	30	CREE	AC100-277V	128.9LM	4056.0LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-60W	60	CREE	AC100-277V	134.9LM	7770.5LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-80W	80	CREE	AC100-277V	125.1LM	9913.8LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-100W	100	CREE	AC100-277V	128.3.1LM	12760.1LM	80	3000K/4000K 5000K/6000K	50,000hours
JLT-FL-150W	150	CREE	AC100-277V	126.9LM	18688.7LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-200W	200	CREE	AC100-277V	130.4LM	25655.5LM	80	3000K/4000K 5000K/6000K	50,000hours

Item Name: Solar LED Flood Lights

LED Power : 100w

LED Chip: SMD3030

Color Temperature: 3700K or 6000K

Total Lumen: 13000lm

Solar Panel : 9V / 140W

Lithium Battery capacity: 3.2V / 120Ah

Battery type: LiFePO4

Working Cable length: 5meters

Lamp Working Mode : Intelligent mode / remote control

Battery Charging Time: 8 hours

Battery backup time per day: 12 hours/day

Battery backup period: more than 7 days

Intelligent sensor sensible distance: 5 meters

Lamp body material: aluminium alloy

Lighting area: 200m<sup>2</sup>

Beam Angle: 120°

Water proof standard: IP65

HS code:9405409000

#### Applications:

factories, Industrial area, commercial area, square, shop, supermarket, stadium, gym, swimming pool, plants growing area,road

#### Product Pictures



APPLICATIONS FOR THIS SOLAR FLOOD LIGHT IN GARDEN

# 打破传统照明

RATOP SMALL INKRLOR

TRADE IN RATCP

一拖二室内室外多场景照明



**SOLAR LIGHT** Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C