



## Meeting Room Led Slim Round Panel Downlight Beam Angle 100 Degrees Driver Outside

### Our Product Introduction

for more products please visit us on [solarpanelstreetlight.com](http://solarpanelstreetlight.com)

#### Basic Information

- Place of Origin: China
- Brand Name: Aina
- Certification: CE, ROHS
- Model Number: AN-TD-196
- Minimum Order Quantity: 10
- Packaging Details: Carton
- Delivery Time: 5 days for samples
- Payment Terms: L/C, D/A, T/T, Western Union
- Supply Ability: 10000 per day



#### Product Specification

- Description: LED Down Light
- Power: 4W-16W
- Voltage: 220V-240V
- Size: 3 In To 5 In
- Ra: >80
- Lumen: 360LM To 1440LM
- CCT: 3000K, 4000K, 6000K
- Cutout:  $\Phi 92*26$  To  $\Phi 170*26$
- Highlight: led ceiling downlights



#### More Images



## Product Description

### 4W to 16w TD196 Series 4500K Down Panel Light Beam Angle 100 degrees Driver Outside

#### Description

LED Down Light  
Power: 4w to 16w  
TD196 series

LED downlight is a kind of modern and decorative lighting, which is ideal for shopping malls, supermarkets, hotels, jewelry counters and high-end home. LED Downlight has main advantages of low-carbon energy, adapting to global energy conservation, low-carbon lifestyle trends. The life span for LED downlight is 50000 hours, equivalent to 50 times of incandescent lamp

SMD Led light distribute ray more even and downy, service life is much longer.

Made of high quality pure aluminum and die-castin durable corrosion resistance, anti-fading and anti-scratch electrostatic thermo-painting finish.

Perfect integration of lamp body and power supply, self-ballast LED module to solve the fussiness caused by split drive die casting integral molding with in tegrated heat dissipation design

Die-casting aluminum lamp rings are strong surface texture with excellent corrosion resistance. It also provides a good anti-dust surfacw with frosted surface treatment

#### Features

lAlumimun + Plastic housing.  
lDrive built-in.  
l100°beam angle.  
lNon dimmable.  
l3000K 4000K 6000K for option.  
lWarranty: 3years. IP20

#### Specification

Model	Power	Input	Ra	Beam Angle	Lumen
AN-TD-196-4-3-10	4W	AC220-240V	>80	100 degrees	360LM
AN-TD-196-16-6-10	16W	AC220-240V	>80	100 degrees	1440LM
AN-TD-195-3.5-3-10	3W	AC220-240V	>80	100 degrees	300LM
AN-TD-195-5-3.5-10	5W	AC220-240V	>80	100 degrees	500LM
AN-TD-194-4-3.5-10	4W	AC220-240V	>80	100 degrees	400LM
AN-TH-193A-5-3-10	5W	AC220-240V	>80	60 degrees	500LM
AN-TH-192-3-3-10	3w	AC220-240V	>80	100 degrees	270LM

#### Application

Airport, Bathroom, Bathroom Room, Bedroom, Car Park, Church, Cinema, Gallery, Garage Hospital, Hotel, Kitchen, Meeting Room, Museum, Office, Restaurant, School, Shopping Mall, Sitting Room

#### Picture



#### About us

Aina-4 Technologies (Shanghai) Co., Ltd. is a private limited company registered in Shanghai, China. It specializes in the R&D, design, manufacture, and marketing of light emitting sources and lighting fixtures. It is an enterprise formed by four (4) pioneer lighting companies, putting their resources together to produce products and services that create sustainability not only for the environment, but also for the economies and societies that the company grows with.

- Headquartered in Shanghai
- Research & development center located in Shanghai
- Sales center located in Beijing
- Complemented by a team of professionals with over ten (10) years of experience in the lighting industry.

