



High Power LED Recessed Downlights Fins Aluminum Cooling For Indoor Hall / Conference Room

Our Product Introduction

for more products please visit us on solarpanelstreetlight.com

Basic Information

- Place of Origin: China
- Brand Name: MINSSENS
- Certification: CE ROHS DLC ETL SAA
- Model Number: MS-DWH-30W-200W
- Minimum Order Quantity: 10pcs
- Price: Negotiable
- Packaging Details: Standard export packaging or customize
- Delivery Time: 5-10 work days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 1000000pcs per month



Product Specification

- Lamp Power: 30W-200W
- Input Voltage: AC100-305V DC12V 24V 36V
- Lumens: 90-120lm/W
- Size: 5" 6" 8" 10" 12"
- Beam Angle(°): 30° 45° 120° 60° 90° 120°
- Lamp Body Material: Fins Aluminum + Lens
- Cover: Cream Cover / Transparent Cover
- Items: LED Recessed Downlights For Indoor Hall
- Installation: Hole Embedded
- Applications: Hall, Large Conference Room
- Dimmable: SCR / 0-10V / DALI
- Warranty: 3 Years
- Highlight: led down lamp



More Images



Product Description

High Power Fins Aluminum Cooling LED Recessed Downlights For Indoor Hall , Conference

Room

Features

- 1.High quality Cree /SMD3030 led chip ,120-130lm/W.
- 2.Unique product design ,up to 80% energy saving, low power consumption ,low heat emission and high brightness.
- 3.Dimmable and non-dimmable are both available.(0-10V or 1-10V dimmable)
- 4.Go Green ,energy saving ,low carbon environmental protection ,no mercury pollution.
- 5.Instant start up , silent operation and flicker-free,effectively protecting the eyes.

Specification

Watt	30w 40w 50w 60w 80w 100w 120w 150w 180w 200w
Size	5" 6" 8" 10" 12"
Input Voltage	AC100V-305V / 347V / 480V , DC12V/24V
Frequency	50/60Hz
Power Factor	>0.95
Total Harmonic Distortion	<9%
Material	Aluminum Alloy Fin
LEDS	CREE
LED Luminous Efficiency	120-130lm/w
Lamp Efficiency	> 91%
Color Rendering Index	>80ra
Color Temperature	Warm White:3000K
	Pure White:4000-4500K
	Cold White:5700-6300K
Rated LED Life	Up to 50,000 hrs
Protection	IP54
Warranty	3 Years

Details

30w 40w 50w 60w 80w 100w 120w 150w 180w 200w is available
 Support dimmable SCR / 0-10V / DALI Three ways dimmable(need customize)
 Cream white cover and transparent cover to choose






Applications

Corridor, office, shopping mall, display window and inner lighting
Reception room, lobby, hotel room lighting
Museum, exhibition hall, art gallery exhibit lighting
Bus / railway / subway stations and other indoor lighting.

Dimension

5" 6" 8" 10" 12" diameter and hole size



Packaging

Standard export packaging or customized according to customer requirements.

SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C