



## Solar Powered Garden Flood Lights

### Our Product Introduction

#### Basic Information

- Place of Origin: CHINA
- Brand Name: SRS
- Certification: EMC
- Model Number: YZYFL107W200
- Minimum Order Quantity: 2PCS
- Price: USD100-USD350
- Packaging Details: EACH IN A BOX
- Delivery Time: 15-25DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 3000PCS/DAY



#### Product Specification

- Item Type: Flood Lights, Explosion-proof Lights, Street Lights
- Application: Garden, Sports Stadiums, Square, etc., outdoor
- Product Name: SMD 25w 35w 55w 75w 120W Solar Led Flood Light, Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light Price, waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light, SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light, 100watt Out
- Warranty: 3 Years, 2 Years, 5 Years
- Power: 60w, 100w, 20W 40W 60W 100W
- Lamp Luminous Efficiency (lm/w): 130, 120, 160
- Material: Die-cast Aluminum + Tempered Glass, High Quality Die-casting Aluminum Alloy
- Led Light Source: SMD, Bridgelux, SMD2835, 5730, Epistar
- Highlight: **solar powered flood lights**

## Product Description

### Ip65 Solar LED Flood Lights / Solar Security Light / Solar Powered Flood Lights

#### Quality Control

We have very strict Quality Control System, from checking and evaluation of incoming materials to the delivery of products, each item will be checked and tested for several times.

For every piece of Solar LED Flood Lights, they will be aged for at least 72 hours before delivery to make sure of their long term and stable performances within lifetime.

#### SPECIFICATIONS FOR SOLAR SECURITY FLOOD LIGHTS

Model Number	JL-YYL102	JL-YYL-103	JL-YYL104	JL-YYL-105	JL-YYL106	JL-YYL107
Solar panel	6V 8W	6V 12W	6V 16W	6V 20W	6V 35W	10V 45W
	Polycrystalline Panel (GradeA)					
Storage Battery	3.2V 4500 mAh	3.7V 5000 mAh	3.7V 10000 mAh	3.7V 20000 mAh	3.7V 30000 mAh	3.7V 39000MAH
	32650 Type LiFePO4 batteries					
light source	40 PCS LED	71PCS LED	100 PCS LED	156 PCS LED	256 PCS LED	400 PCS LED
Light power	10W	25W	40W	60W	100W	200W
Charging time	4-6H					
Working time	12-15H					
Color Temperature	Cool-White: (6000-6500K) Warm-white: (3000K)					
Main Material	Die-casting aluminum+Toughened glass					
Working mode	Light induction & Intelligent remote control					
IP Grade	IP67					
CRI ( Ra>)	85					
LampLuminous Efficiency(lm/W)	130 lm/ W					
Working Temperature	-15 ~60					
Certificate	CE& ROHS					
Lamp Size	16.5*4.5*13	20.5*5*16	12.8*16	15.8*20.5	26.2*32.6	37*9.5*30
Panel Size	17.5*26.5	17.5*34	33.9*28.9	34.9*34.9	36*58	36.5*58.5
Shell Color	Black or White					
Extension Cable	5m					
QTY/CTN	16PCS	10PCS	8 PCS	5 PCS	4 PCS	4 pcs
G. W/ CTN	17.4kgs	20KGS	27kgs	21kgs	26.5kgs	28kgs
Measure/ CTN	38*39.5*29	58*36.5*26	49*38*43.5	38*38*38	59.5*32*38	61*32.5*39

Item name: solar led flood lights outdoor

Rated voltage: DC12V

Wattage: 200w

LED chip: CREE chip SMD3030

LED quantity: 200pcs

Battery: LiFePO4 48AH

Solar panel: 40w 480\*670\*30mm

Waterproof: IP65

Working hours: 12 hours per day

Back up: 7 days

Lumen: 22000lm

Lux (5 meter height): 91lux

RA: 0.8

Power indicator: with indicator

Lamp body material: aluminimium + tempered cover

Cabel length: 5 meters

Warranty: 2 years


Packing: each in a box

Applications: yard, house, building, garden, village way, park, street, industrial area, gym, sport area, football playground

#### PRODUCT PICTURE:



INSIDE MATERIAL FOR THIS SOLAR LED FLOODLIGHT:



APPLICATION FOR PARK:



**SOLAR  LIGHT** Beijing Silk Road Enterprise Management Services Co.,LTD



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C