



## Solar Landscape Flood Lights

### Our Product Introduction

#### Basic Information

- Place of Origin: CHINA
- Brand Name: SRS
- Certification: EMC
- Model Number: YZYFL105W50
- Minimum Order Quantity: 2PCS
- Price: USD50-USD130
- Packaging Details: EACH IN A BOX
- Delivery Time: 15-25DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 3000PCS/DAY



#### Product Specification

- Led Light Source: SMD,Bridgelux,SMD2835,5730,Epistar
- Input Voltage(v): DC6~12V
- Ip Rating: IP65
- Item Type: Flood Lights,Explosion-proof Lights,Street Lights
- Application: Garden,Sports Stadiums,Square,outdoor
- Product Name: SMD 25w 35w 55w 75w 120W Solar Led Flood Light,Outdoor SMD COB 25w 30w 60w 100w 120w Solar Led Flood Light  
Price,waterproof Die Cast Aluminum 25w 40w 60w 100w Solar Led Flood Light,SMD Outdoor Waterproof IP65 50w 100w 150w Solar Led Flood Light,100watt Out
- Working Temperature( ): -20 - 60,-20 - 50
- Material: Alumimnum+glass,Die-cast Aluminum + Tempered Glass,High Quality Die-casting Aluminum Alloy
- Highlight: **solar outdoor flood lights**

## Product Description

### 50w 5400 Lumen Solar LED Flood Lights / High Lumen Solar Landscape Flood Lights

#### SPECIFICATIONS FOR LED SOLAR FLOOD LIGHT:

ITEM NO.	POWER (W)	LED	INPUT VOLTAGE	LUMINOUS EFFICACY	LUMINOUS FLUX	CRI (Ra>)	COLOR TEMPERATURE	LIFESPAN
JL-FL-10W	10	CREE	AC100-277V	120.6LM	1166.2LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-20W	20	CREE	AC100-277V	117.9LM	2270.3LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-30W	30	CREE	AC100-277V	128.9LM	4056.0LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-50W	50	CREE	AC100-277V	134.9LM	6770.5LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-80W	80	CREE	AC100-277V	125.1LM	9913.8LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-100W	100	CREE	AC100-277V	128.3.1LM	12760.1LM	80	3000K/4000K 5000K/6000K	50,000hours
JLT-FL-150W	150	CREE	AC100-277V	126.9LM	18688.7LM	80	3000K/4000K 5000K/6000K	50,000hours
JL-FL-200W	200	CREE	AC100-277V	130.4LM	25655.5LM	80	3000K/4000K 5000K/6000K	50,000hours

Item name: solar led flood lights outdoor

Rated voltage: DC12V

Wattage: 50w

LED chip: CREE chip SMD3030

LED quantity: 54pcs

Battery: LiFePO4 18AH

Solar panel: 15w 347\*347\*18mm

Working hours: 12 hours per day

Back up: 5 days

Lumen: 5400lm

Lux (6 meter height): 20lux

RA: 0.8

Power indicator: with indicator

Lamp body material: aluminium + tempered cover

Cabel length: 5 meters

Warranty: 2 years

Packing: each in a box

Applications: yard, house, building, garden, village way, park, street, industrial area, gym, sport area

#### PRODUCT MAIN PARTS:



#### SIZE FOR SOLAR FLOOD LIGHTS



**Solar Flood Light Outdoor:**



**SOLAR LIGHT Beijing Silk Road Enterprise Management Services Co.,LTD**



17733330123



miclecleanmo@gmail.com



solarpanelstreetlight.com

No 41, Dongsihuan Zhong Road, Chaoyang District, Beijing, 100025, P.R.C